

TARPS

Extra heavy duty polypropylene tarps. Metal gromits allow tarps to be tied down securely.

- Model # 070685** 12' x 24'
- Model # 070686** 18' x 24'
- Model # 070690** 20' x 20'
- Model # 070696** 20' x 40'



STEEL/ALUMINUM PLATES

Metal plates are perfect to help roll over floor cracks, elevator cracks and door jams. Your choice of steel or aluminum.

1/8" Hardened Steel

- Model # SP2436** 24" x 36"
- Model # SP2448** 24" x 48"
- Model # SP3036** 30" x 36"
- Model # SP3636** 36" x 36"
- Model # SP3648** 36" x 48"
- Model # SP4848** 48" x 48"

1/8" Hardened Aluminum

- Model # AP2436** 24" x 36"
- Model # AP2448** 24" x 48"
- Model # AP3636** 36" x 36"
- Model # AP3648** 36" x 48"



WALKBOARDS

Lightweight walk boards are designed for one person to handle with ease. 36" wide fits easily in the back of any van. Made with sturdy 1/2" plywood top, 1 1/4" tubing support underneath and 1/8" steel end plates. Coated with grip tread. Color: blue.

Model #	Capacity	Length	Weight
1377	700 lb.	7'6"	70 lbs.
1378	600 lb.	8'8"	85 lbs.




MAGLINER ALUMINUM VAN RAMPS

- Portable • Strong
- Twin-tooth deck for better traction when traveling in either direction
- All apron models complete with 8" apron; 3 1/4" position stop; safety chains
- All hook models complete with two H.D. safety hooks



GUIDE TO CORRECT RAMP SELECTION



	2900 Series	3900 Series
Width overall	28 3/4"	39 1/2"
Usable width	26 1/4"	37"
Side rail height	4 1/4"	4 1/4"
Curb height	3 1/4"	3 1/4"

	Ramp Length	Height Range (lbs.)	Rated Cap. 4-wheel equip.	2,900 Series		3,900 Series	
				28 3/4" width catalog #	Weight (lbs.)	29 1/2" width catalog #	Weight (lbs.)
Apron Models	3'	9"	3000	VR3029032	36	VR30309032	45
	4'	12"	3000	VR3029042	43	VR3039042	53
	5'	18"	3000	VR3029052	56	VR3039052	69
	6'	21"	2800	VR2829062	62	VR2839062	77
	7'	27"	2800	VR2829072	75	VE2839072	94
	8'	31"	2500	VR2529082	82	VR2539082	102
	9'	34"	2500	VR2529092	88	VR2539092	110
	10'	37"	2200	VR2229102	95	VR2239102	118
	12'	46"	1900	VR1929122	114	VR1939122	142
	14'	52"	1600	VR1629142	127	VR1639142	158
Hook Models	16'	62"	1000	VR1029162	147	VR1039162	183
	3'	13"	3000	VR3029031	33	VR30309031	41
	4'	16"	3000	VR3029041	40	VR3039041	49
	5'	22"	3000	VR3029051	53	VR3039051	65
	6'	25"	2800	VR2829061	59	VR2839061	73
	7'	32"	2800	VR2829071	72	VR2839071	90
	8'	35"	2500	VR2529081	79	VR2539081	98
	9'	38"	2500	VR2529091	85	VR2539091	106
	10'	41"	2200	VR2229101	92	VR2239101	114
	12'	50"	1900	VR1929121	111	VR1939121	138
14'	56"	1600	VR1629141	124	VR1639141	154	
16'	66"	1000	VR1029161	144	VR1039161	179	

RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMPS/WALKBOARDS

FORMS | LABELS | BOXES | PACKING MATERIALS



EMTEK ALUMINUM STANDARD DUTY APRON RAMP

- 6061 "hard" aluminum for strength
- 20° grade angle (gradual incline)
- Anti-slip floor • 3 1/8" curb height

Model #	Overall Length	Overall Width	Inside Width	Capacity (lbs.)	Height Range	Approximate Weight (lbs.)
40630MVR	6'	30"	28"	1500	0-21"	65
40830MVR	8'	30"	28"	1500	0-30"	87
41030MVR	10'	30"	28"	1500	0-38"	109
41230MVR	12'	30"	28"	1500	0-46"	130
41430MVR	14'	30"	34"	1200	0-54"	150
40836MVR	8'	36"	34"	1500	0-30"	105
41036MVR	10'	36"	34"	1500	0-38"	130
41236MVR	12'	36"	34"	1500	0-46"	150
41436MVR	14'	36"	34"	1200	0-54"	180

**EMTEK HEAVY DUTY VAN RAMPS**

- 6061 "hard" aluminum for strength • 20° grade angle (gradual incline)
- Anti-slip floor • 3 1/8" curb height • 4000 lb. capacity

Model #	Overall Length	Overall Width	Inside Width	Height Range	Approximate Weight (lbs.)
40639HDMVR	6'	39"	37"	0-16"	94
40839HDMVR	8'	39"	37"	0-22"	125
41039HDMVR	10'	39"	37"	0-28"	157
41239HDMVR	12'	39"	37"	0-35"	188
41439HDMVR	14'	39"	37"	0-41"	220
41639HDMVR	16'	39"	37"	0-48"	251



EMTEK ALUMINUM SPLIT LOCK LOADING RAMP

- Engineered for safety, strength and handling ease
 - Manufactured with 6061 "hard" aluminum
 - 3 1/8" curb height
 - Two 19" halves for auto loading, or
 - A 38" single ramp with center rails locked together for equipment loading
- 6000 lb. capacity/pair (rated load for 8' wheel base or longer)

6000 lb. capacity/pair (rated load for 8' wheel base or longer)

Model #	Length	Overall Width		Inside Width		Approx. Weight		Height Range Trailer to ground
		Locked	Split	Locked	Split	Locked	Split	
41038SLR	10'	38"	19"	36"	18"	150	75	20"-28"
41238SLR	12'	38"	19"	36"	18"	180	90	25"-34"
41438SLR	14'	38"	19"	36"	18"	204	102	29"-40"

MELCHER FIBERGLASS RAMPS



Make loading simple and safe with the original Melcher Fiberglass Ramp. Over 30 models to choose from, single and dual, sizes 6' to 16'. Exclusive computerized fiberglass application process and high quality materials have made Melcher the industry leader. All ramps feature improved super traction non-skid surface and self-storing ball locking pin.

FIBERGLASS AUTO LOADER RAMPS

Model #	Length	Width	Working Height	Capacity (lbs.)	Ramp Weight (lbs.)
636AL	6'	36"	14"	4000	75
836AL	8'	36"	32"	4000	95
1036AL	10'	36"	38"	5000	135
1236AL	12'	36"	46"	5000	155
1436AL	14'	36"	54"	5000	175
1636AL	16'	36"	72"	5000	220

REPLACEMENT AUTO LOADER HALVES

1218AL	12'	18"	46"	3000	78
1418AL	14'	18"	54"	3000	88
1618AL	16'	18"	60"	3000	110





HEAVY DUTY SINGLE

Model #	Length	Width	Working Height	Capacity (lbs.)	Ramp Weight (lbs.)
7530	7.5'	30"	30"	4000	75
636	6'	36"	14"	4000	75
836	8'	36"	32"	4000	95
1030	10'	30"	38"	5000	115
1230	12'	30"	46"	5000	135
1036	10'	36"	38"	5000	130
1236	12'	36"	46"	5000	150
1436	14'	36"	54"	5000	170

LIGHTER DUTY SINGLE

(Dual Ramp models available)

726	7'	26"	28"	1500	50
1026	10'	26"	38"	1500	84
1029	10'	29"	38"	1500	90
1226	12'	26"	46"	1500	98
1229	12'	29"	46"	1500	120
1426	14'	26"	54"	1500	116

LITE LOADER SINGLE AND DUAL RAMPS

Zinc plated steel frame with fiberglass non-stick surface. Resurface Kit available.

1026DR	10'	26"	38"	1500	87
1226DR	12'	26"	46"	1500	101
1426dr	14'	26"	54"	1500	121

Note: Melcher ramps are not sold as dockboards or for use with pallet jacks or forklifts.

MELCHER RESURFACING KIT

Resurface your worn Melcher ramps with a resurfacing kit.

Model # SK

RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | **RAMPS WALKBOARDS** | FORMS | LABELS | BOXES | PACKING MATERIALS



**MOBILE DOCK
THE ONE-MAN LOADING
SYSTEM...
FOR TRUCKS...
FOR RAIL CARS!**

- Full length 8" high safety curbs; painted SAF-T-LANE yellow
- All-weather serrated traction grating
- Usable ramp width – 62" on 70" models; 76" on 84" models
- Height range, carrier end – 37" – 62" with standard suspension;
- 39" – 62" with air springs (optional)

Model #	Capacity lbs.	Width	Length	Level-off	Weight** lbs.
ME 167036	16,000	70"	36'	6'	4,020
ME 167038	16,000	70"	38'	8'	4,215
ME 168436	16,000	84"	36'	6'	4,590
ME 168438	16,000	84"	38'	8'	4,820
ME 207036	20,000	70"	36'	6'	4,095
ME 207038	20,000	70"	38'	8'	4,285
ME 208436	20,000	84"	36'	6'	4,680
ME 208438	20,000	84"	38'	8'	4,945
ME 257036	25,000	70"	36'	6'	4,240
ME 257038	25,000	70"	38'	8'	4,645
ME 258436	25,000	84"	36'	6'	4,910
ME 258438	25,000	84"	38'	8'	5,185

* Galvanized steel and aluminum grating models also available at extra cost.

** All weights less towbar



RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/WALKBOARDS
FORMS
LABELS
BOXES
PACKING MATERIALS

PORTABLE DOCKBOARDS

- Steel or aluminum
- Beveled edges
- Taper-lock position stop
- Custom crowning
- Tread plate deck
- Tire saver curbs with cast curb ends



STEEL DOCKBOARDS

Model #	Size	Height Difference	Weight
10,000 lb. Axle Load Capacity			
10SC6048	60" W x 48" L	5" - 7"	276 lbs.
10SC6054	60" W x 54" L	6" - 8"	311 lbs.
10SC6060	60" W x 60" L	7" - 9"	345 lbs.
10SC6066	60" W x 66" L	8" - 10"	380 lbs.
10SC6072	60" W x 72" L	8.5" - 11"	414 lbs.
10SC7260	72" W x 60" L	7" - 9"	414 lbs.

STEEL DOCKBOARDS

Model #	Size	Height Difference	Weight
15,000 lb. Axle Load Capacity			
15T6048	60" W x 48" L	5" - 7"	430 lbs.
15T6060	60" W x 60" L	7" - 9"	540 lbs.
15T6066	60" W x 66" L	8" - 10"	580 lbs.
15T6072	60" W x 72" L	8.5" - 11"	625 lbs.
15T6078	60" W x 78" L	9" - 12"	710 lbs.
15T6084	60" W x 84" L	10" - 13"	750 lbs.
15T7260	72" W x 60" L	7" - 9"	625 lbs.
15T7266	72" W x 66" L	8" - 10"	670 lbs.
15T7278	72" W x 78" L	9" - 12"	820 lbs.
15T7284	72" W x 84" L	10" - 13"	870 lbs.

ALUMINUM DOCKBOARDS

Model #	Size	Height Difference	Weight
10,000 lb. Axle Load Capacity			
AC5436	54" W x 36" L	3" - 5"	118 lbs.
AC5442	54" W x 42" L	4" - 6"	136 lbs.
AC5448	54" W x 48" L	6" - 8"	154 lbs.
AC5454	54" W x 54" L	6" - 8"	171 lbs.
AC5460	54" W x 60" L	7" - 9"	188 lbs.
AC6036	60" W x 36" L	3" - 5"	127 lbs.
AC6042	60" W x 42" L	4" - 6"	146 lbs.
AC6048	60" W x 48" L	5" - 7"	165 lbs.
AC6054	60" W x 54" L	6" - 8"	183 lbs.
AC6060	60" W x 60" L	7" - 9"	202 lbs.
AC6066	60" W x 66" L	8" - 9"	221 lbs.
AC6072	60" W x 72" L	8.5" - 11"	240 lbs.
AC6078	60" W x 78" L	9" - 12"	257 lbs.
AC6084	60" W x 84" L	10" - 13"	276 lbs.
AC6090	60" W x 90" L	11" - 14"	295 lbs.
AC6096	60" W x 96" L	12" - 15"	314 lbs.
AC6636	66" W x 36" L	3" - 5"	132 lbs.
AC6648	66" W x 48" L	5" - 7"	176 lbs.
AC6660	66" W x 60" L	7" - 9"	216 lbs.
AC7236	72" W x 36" L	3" - 5"	144 lbs.
AC7248	72" W x 48" L	5" - 7"	187 lbs.
AC7260	72" W x 60" L	7" - 9"	230 lbs.

ALUMINUM DOCKBOARDS


Model #	Size	Height Difference	Weight
15,000 lb. Axle Load Capacity			
BC5436	54" W x 36" L	3" - 5"	138 lbs.
BC5442	54" W x 42" L	4" - 6"	162 lbs.
BC5448	54" W x 48" L	5" - 7"	186 lbs.
BC5454	54" W x 54" L	6" - 8"	209 lbs.
BC5460	54" W x 60" L	7" - 9"	231 lbs.
BC6036	60" W x 36" L	3" - 5"	154 lbs.
BC6042	60" W x 42" L	4" - 6"	179 lbs.
BC6048	60" W x 48" L	5" - 7"	201 lbs.
BC6054	60" W x 54" L	6" - 8"	226 lbs.
BC6060	60" W x 60" L	7" - 9"	247 lbs.
BC6066	60" W x 66" L	8" - 10"	264 lbs.
BC6072	60" W x 72" L	8.5" - 11"	294 lbs.
BC6078	60" W x 78" L	9" - 12"	321 lbs.
BC6084	60" W x 84" L	10" - 13"	346 lbs.
BC6090	60" W x 90" L	11" - 14"	371 lbs.
BC6096	60" W x 96" L	12" - 15"	396 lbs.
BC6636	66" W x 36" L	3" - 5"	164 lbs.
BC6648	66" W x 48" L	5" - 7"	215 lbs.
BC6660	66" W x 60" L	7" - 9"	266 lbs.
BC7236	72" W x 36" L	3" - 5"	177 lbs.
BC7248	72" W x 48" L	5" - 7"	230 lbs.
BC7260	72" W x 60" L	7" - 9"	284 lbs.

RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | APPLIANCE WAREHOUSE EQUIPMENT | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMPS/WALKBOARDS

PACKING MATERIALS | BOXES | LABELS | FORMS

3/8" THICK TREAD PLATE

Model #	Size	Height diff.	Load Cap.	Weight
A3624M	36" W x 24" L	3"	4000	44 lbs.
A3630M	36" W x 30" L	4"	3000	52 lbs.
A3648M	36" W x 48" L	7"	1800	82 lbs.
A4224M	42" W x 24" L	3"	4700	50 lbs.
A4230M	42" W x 30" L	4"	3600	59 lbs.
A4248M	42" W x 48" L	7"	2100	93 lbs.
A4824M	48" W x 24" L	3"	5000	55 lbs.
A4830M	48" W x 30" L	4"	4000	66 lbs.
A4836M	48" W x 36" L	5"	3300	79 lbs.
A4842M	48" W x 42" L	6"	2700	91 lbs.
A4848M	48" W x 48" L	7"	2500	104 lbs.
A4854M	48" W x 54" L	8"	2100	117 lbs.
A4860M	48" W x 60" L	9"	1800	130 lbs.
A6024M	60" W x 24" L	3"	6000	66 lbs.
A6030M	60" W x 30" L	4"	5000	80 lbs.
A6036M	60" W x 36" L	5"	4000	96 lbs.
A6042M	60" W x 42" L	6"	3500	110 lbs.
A6048M	60" W x 48" L	7"	3000	126 lbs.
A6054M	60" W x 54" L	8"	2500	142 lbs.
A6060M	60" W x 60" L	9"	2200	158 lbs.




1/2" THICK TREAD PLATE

Model#	Weight	Size (WxL)	Height diff.	Load Cap.
B4824M	69 lbs.	48" x 24"	3"	8500
B4830M	83 lbs.	48" x 30"	4"	6500
B4836M	100 lbs.	48" x 36"	5"	5500
B2442M	114 lbs.	48" x 42"	6"	4600
B2448M	131 lbs.	48" x 48"	7"	3800
B2454M	148 lbs.	48" x 54"	8"	3400
B2460M	164 lbs.	48" x 60"	9"	3100
B6024M	83 lbs.	60" x 24"	3"	11000
B6030M	102 lbs.	60" x 30"	4"	8000
B6036M	122 lbs.	60" x 36"	5"	7000
B6042M	140 lbs.	60" x 42"	6"	5500
B6048M	160 lbs.	60" x 48"	7"	4800
B6054M	180 lbs.	60" x 54"	8"	4400
B6060M	200 lbs.	60" x 60"	9"	3900



T-L PLATES

- ECONOMICAL – Real value
- CONVENIENT – Light weight aluminum
- TIME-SAVERS – For loading, unloading trucks
- Two handles standard meet OSHA regulation 1910-30; provide easy, convenient handling
- Tread plate surface for good traction, extended service life
- Yellow "Safe-T-Lane" painted edges. Highly visible
- 11" apron plus "stops" for safe in-position anchoring
- Machine-beveled entry and exit edges for smooth bump-free operation
- All T-L plates provide broad height difference service range



LIFTING CHAINS

For forklift handling of dockboards.

Model # LC

SELECTING THE PROPER PLATE

- Determine minimum width required. Width should be 12" wider than the loads or the equipment being moved across the T-L plate.
- Determine height difference service range. Height difference is the greatest difference in inches between your dock height and truck height levels (see chart).

