



DUTRO 3-WAY CONVERTIBLE HAND TRUCK

The multi-purpose hand truck. Converts to a platform truck or a tripod truck instantly. Fold out tube-steel nose extension assists with balancing large loads. 1 5/8" x 8" mold-on rubber wheels. 4" casters act as kick back tripod wheels. 50" high (upright). 62 lbs. 800 lb capacity as a hand truck. 600 lb. capacity as a tripod dolly. 800 lb. capacity as a platform truck.

Model # D120




Model # D808B

DUTRO 808 SHOVEL NOSE HAND TRUCK

The perfect dolly for moving furniture in your warehouse. 3/4" tube steel construction for durability. Shovel nose toe plate (17 1/2" x 14" x 14") allows for larger loads. Taller frame gives more leverage over heavy loads. 2 1/2" x 8" balloon tires. 49 1/2" high.

55 lbs. 900 lb. capacity.

Model # D808B



Model # D828B

DUTRO 828 SHOVEL NOSE HAND TRUCK

Similar to the 808 hand truck, the 828B has a taller frame for those taller loads. 3/4" tube steel construction for durability. Shovel nose toe plate (17 1/2" x 14" x 14") allows for larger loads. Taller frame gives more leverage over heavy loads. 2 1/2" x 8" balloon tires.

61 3/4" high. 55 lbs. 900 lb. capacity.

Model # D828B



HAND TRUCKS

Commercial grade delivery trucks for the man on the job. Rugged tube construction. Designed for easier carton handling. 7" x 13" noseplate. 8" rubber wheels. 55" high. 500 lb. capacity.

Double loop handles:

- Model # 600** Steel, 37 lb. weight
- Model # A-600** Aluminum, 22 lb. weight

Single pin handle:

- Model # 601** Steel, 22 lb. weight
- Model # A-601** Aluminum, 21 weight



EXTRA HEAVY DUTY HAND TRUCK

Designed for rugged use and heavier loads. Tube steel construction. Reinforced 9" x 14" noseplate provides maximum strength. Popular single loop handle. 10" rubber wheels.

51" high.
1,000 lb. capacity.

Model # 2783



EZ-OFF HAND TRUCK

Load and unload quicker with no gaps between stacks. Step down EZ-off bar backs truck out from under boxes with ease. Load can be stationed right against another stack to save valuable space. Tube steel construction. 7" x 13" noseplate. 8" mold-on rubber wheel.

55" high. 34 lbs.
800 lb. capacity.

Model # 100



ECONOMY HAND TRUCK

A quality steel hand truck at an affordable price. 8" rubber wheels.

51" high.
600 lb. capacity.

Model # 5506-8



RENTAL | MOVING | FURNITURE | WAREHOUSE | APPLIANCE
EQUIPMENT | EQUIPMENT | PADS | EQUIPMENT | DOLLIES

HAND TRUCKS

VAN | CARGO | RAINY / WALKBOARDS | FORMS | LABELS | BOXES | PACKING MATERIALS

RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/WALKBOARDS
FORMS
LABELS
BOXES
PACKING MATERIALS



Magliner hand trucks are the ultimate in lightweight rugged construction. Available with a range of options to suit many needs.
Easily handle loads up to 500 lbs.

117-UM-1060

Single pin handle, 18" wide x 7 1/2" nose plate, 10" full pneumatic tires, 52" high.
Weight: 23 lbs.
Model # 117-UM-1060



115-UM-1060

Single loop handle, 18" wide x 7 1/2" nose plate, 10" full pneumatic tires, 52" high.
Weight: 23 lbs.
Model # 115-UM-1060



112-UM-1060

Horizontal loop handle with "U" brace for extra load support. 18" wide x 7 1/2" nose plate, 10" full pneumatic tires, 44" load height.
Weight 21 lbs.
Model # 112-UM-1060



311-AM-1025

Horizontal loop handle with curved back frame. 14" wide x 7 1/2" deep nose plate, 10" semi-pneumatic tires, 40" load height.
Weight 26 lbs.
Model # 311-AM-1025



112-AM-825-C1

Horizontal loop handle with "U" brace for extra load support. 14" wide x 7 1/2" nose plate, 8" semi-pneumatic tires, 44" load height. Aluminum C-1 stair glides.

Weight: 26 lbs.

Model # 112-AM-825-C1

135B-AM-830

Double loop handles with high back loop design. 14" wide x 7 1/2" nose plate, 8" balloon tires, 55" high.

Weight: 19 lbs.

Model # 135B-AM-830

211-UM-815

Horizontal loop handle, 18" wide x 7 1/2" nose plate, 8" mold-on rubber tires, 40" load height.

Weight: 20 lbs.

Model # 211-UM-815

111-AM-815

Horizontal loop handle, 14" wide x 7 1/2" nose plate, 8" mold-on rubber tires, 40" load height.

Weight: 18 lbs.

Model # 111-AM-815



MAGLINER GEMINI

- 2 -1 truck converts from 2 to 4 wheels in seconds
- Half ton platform truck capacity
- Strong lightweight construction
- Modular design means easy repairs for long dolly life

**GEMINI XL**

Model # XLAP-1060

**GEMINI SR.**

Model # GMA81UM4

**GEMINI JR.**

Model # GMA16UM4

MAGLINER GEMINI SPECIFICATIONS

Specifications	Gemini XL	Gemini Sr.	Gemini Jr.
Overall Width	22"	21"	21"
Frame Width	14"	12"	11"
Overall Length(4-wheel)	57 1/4"	55 3/4"	47 1/2"
Height (hand truck)	62 3/4"	61"	51"
Height (platform truck)	45 3/4"	45 1/8"	40"
Platform Bed Length	53 3/4"	51"	38"
Capacity (hand truck)	500 lbs.	500 lbs.	500 lbs.
Capacity (platform truck)	1,250 lbs.	1,000 lbs.	1,000 lbs.
Wheels (hand truck)	10" x 4"	10" x 3 1/2"	10" x 3 1/2"
Casters (swivel)	6" x 2"	5" x 1 1/4"	5" x 1 1/4"
Nose	18" x 8 7/10"	18" x 7 1/2"	18" x 7 1/2"



GEMINI ACCESSORIES**GEMINI SNAP ON DECK**

Formed from strong embossed aluminum. Form fitted top end, spring steel center clip, and aluminum extrusion at the base holds deck in place securely. Snaps in place quickly and removes easily. Great for carrying small packages.

Model # 301651 Gemini Jr. Deck

Model # 301650 Gemini Sr. Deck

**GEMINI SR. ACCESSORY BAG**

30" tall x 12" wide bag with 1 top pocket (9" deep x 12" wide), 1 front pocket (10" wide x 6" deep), 1 back pocket (10" wide x 6" deep), 2 bottom pockets (11" deep x 6" wide) with flaps over the top. Secured to dolly with 6 adjustable straps with buckles. Ideal for tools, cleaning supplies and small packages.

For Gemini Sr. only.

Model # 302684



SUPER FAST UP STAIRS!

LIFTKAR POWERED STAIR CLIMBING HAND TRUCK**Faster, Safer Deliveries on Stairs**

- 375 lb. capacity holds 2 kegs or 17 twelve-packs.
- Climbs stairs at a speed of 29 steps per minute.
- Curved-back frame for kegs and cylinders.
- Reduces the force needed to move loads up and down stairs.
- Lightweight aluminum construction and ergonomic design reduces user fatigue.
- Decreases back injuries.

Battery powered (capacity approx 220-300 stairs). Maximum stair height 10". Overall dimensions, 19" deep x 19" wide x 62" high. 18 3/4" wide x 9 1/2" deep nose plate. Weight 35 lbs. (without battery).

Model # CLK170EGS4

REPLACEMENT BATTERIES FOR LIFTKAR

Model # 4210



RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMPS/WALKBOARDS | FORMS | LABELS | BOXES | PACKING MATERIALS



TYPE 11 HANDLE
Popular "U" loop handle is ergonomically designed to provide comfort to the wrist and easy operation of the hand truck.
Model # 11



TYPE 12 HANDLE
Basic loop handle with "U" brace for extra load support.
Model # 12



TYPE 15 HANDLE
Single vertical loop handle.
Model # 15



TYPE 16 HANDLE
Standard double pistol grip handle. Curved out to meet the operators hands and provide two-handed control.
Model # 16



TYPE 17 HANDLE
Single pin handle with ergonomic pistol grip for easier leverage.
Model # 17



TYPE 35 HANDLE EXTENSION
Dual loop handles. Extra tall 55" height.
Model # 35



FRAME STYLE #1
Straight back frame to provide structure and support to the hand truck.
Model # 1



FRAME STYLE #2
Straight lattice back for general use and transporting smaller packages.
Model # 2



WHEEL #M1010
10" Microcellular foam tire with ball bearings. Performs like a pneumatic tire but doesn't go flat or require air.
Model # M1010

WHEEL #1025
10" Solid rubber tire on one-piece polyolefin hub with ball bearings.
Model # 1025



FRAME STYLE #3
Curved lattice back frame for carrying round or flat loads.
Model # 3



FRAME STYLE #5
Curved back frame with molded cross members for transporting barrels and kegs.
Model # 5



WHEEL #1060
10" Pneumatic tires on bolted three-piece hub with ball bearings. Pneumatic wheels work best for uneven and rough surfaces.
Model # 1060



WHEEL #815
8" Mold-on rubber on die-cast magnesium hub with ball bearings. The hard rubber works sell on smooth to semi-smooth surfaces.
Model # 815



WHEEL #825
8" Solid rubber tire on one-piece polyolefin hub with ball bearings.
Model # 825



REPLACEMENT INNER TUBE

Replacement tube for Model # 1060 tire. **Model # 121060T**



TYPE A NOSE

Die-cast magnesium.
14" wide x 7 1/2" deep.

Model # A



TYPE C NOSE

Extruded aluminum.
14" wide x 7 1/2" deep.

Model # C



TYPE D NOSE

Extruded aluminum.
18" wide x 7 1/2" deep.

Model # MD



TYPE H NOSE

Die-cast magnesium.
14" wide x 12" deep.

Model # H



TYPE J NOSE

Extruded aluminum.
16" wide x 12" deep.

Model # J



TYPE U NOSE

Die-cast magnesium.
18" wide x 7 1/2" deep.

Model # U



STAIR CLIMBER C

Heavy-duty cast magnesium sliders. Great for moving over curbs and on stairs.

Model # C



STAIR CLIMBER C5

Cast magnesium sliders with replaceable low-friction polymer skid bars.

Model # C5

Replacement sliders for model # C5 stair climber

Model # 302115

FOLDING NOSE EXTENSIONS

Extensions add extra capacity for handling bulky loads. Extensions retract snugly against frame so hand truck can be used for regular service.



PLATE NOSE EXTENSION

Low profile formed plate extension. 24" long x 12" wide.

Model # F1



EXTRUDED CHANNEL EXTENSIONS

Extruded aluminum channel extension.

Model # F2 20" long x 12" wide.

Model # F3 30" long x 12" wide

FRAME EXTENSIONS

Your choice of 3 "Hi-U" frame extensions for additional load height. Intermediate "U" included.

Model # 52 52" high


Model # 60 60" high

Model # 68 68" high

PLASTIC CURB RAMP

Molded plastic curb ramps are light and portable. Aggressive non-skid surface. Good for curbs up to 8" high. 27" x 27"

Model # KR-215



ALUMINUM CURB RAMP

Lightweight, corrosion-resistant aluminum. Safety walk strips for secure footing. Hand hole for easy handling. Good for curbs for up to 6". 27" x 27"

Model # KR2727

RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMPS/WALKBOARDS | FORMS | LABELS | BOXES | PACKING MATERIALS