

FOLDING RAMPS

Lightweight folding ramps are designed for one person to handle with ease. Durable aluminum construction. Anti-slip high traction surface. Perfect for curbs, stoops or truck decks. 600 lb. capacity. 30" wide.

Single Fold Ramps

- Model # SFR-SFW330** 3' 15 lbs.
- Model # SFR-SFW530** 5' 20 lbs.
- Model # SFR-SFW630** 6' 24 lbs.

Double Fold Ramps

- Model # DFR-WCR530** 5' 30 lbs.
- Model # DFR-WCR630** 6' 35 lbs.



ALUMINUM CURB RAMP

Lightweight, corrosion-resistant aluminum. Safety walk strips for secure footing. Hand hole for easy handling. Good for curbs up to 6" high. 27" x 27"

Model # NCRU2727



ALUMINUM CURB RAMP

Lightweight, corrosion-resistant aluminum. Raised punch holes provide superior traction. Won't collect ice, snow, or debris. Hand hole for easy handling. Good for curbs up to 6" H. 27" x 27"

Model # CRP2727



ALUMINUM CURB RAMP

Lightweight, corrosion-resistant aluminum. Diamond tread surface for secure footing. Hand hole for easy handling. Good for curbs up to 6" high. 24" x 26"


Model # CR24X26



SAFE STRIDE

Anti-slip covering for walk boards and ramps. One gallon covers approximately 80 sq. ft.

Model # VE-9



B&P ALUMINUM VAN RAMPS

B&P ramps are portable and strong. All ramps have improved traction to prevent slipping. Level-off apron at the top creates a smooth transition from the ramp to the deck of your truck.

**RAMP HEIGHT**

Matching the length of a ramp to the service height is important. Too short of a ramp will create a steep slope making it hard to move and control heavy items. B&P ramps are designed with a slanted lip at the top of the ramp to match the ramp angle to the flat platform at the top. Using the incorrect length ramp may prevent a smooth transition at the top of the ramp.

28" Wide Models

Ramp Length	Height Range	Weight Cap lbs.	Model #	Weight lbs.
4'	12"	2,000	PR2804-A	41
5'	16"	2,000	PR2805-A	48
6'	21"	2,800	PR2806-A	48
7'	25"	1,800	PR2807-A	56
8'	29"	1,700	PR2808-A	63
9'	33"	1,650	PR2809-A	70
10'	38"	1,500	PR2810-A	77
12'	46"	1,400	PR2812-A	92
14'	54"	1,200	PR2814-A	107
16'	62"	1,000	PR2816-A	121

38" Wide Models

Ramp Length	Height Range	Weight Cap lbs.	Model #	Weight lbs.
4'	12"	2,000	PR3804-A	41
6'	21"	2,800	PR3806-A	48
7'	25"	1,800	PR3807-A	56
8'	29"	1,700	PR3808-A	63
9'	33"	1,650	PR3809-A	70
10'	38"	1,500	PR3810-A	77
12'	46"	1,400	PR3812-A	92
14'	54"	1,200	PR3814-A	107
16'	62"	1,000	PR3816-A	121



EMTEK ALUMINUM STANDARD DUTY APRON RAMPS

Emtek ramps are made from 6061 "hard" aluminum for strength and durability. A 20° grade angle gives you a gradual incline for easy cargo control. The anti-slip floor design ensures sure footing. 3 1/8" curb height

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Weight lbs.	Overall Width	Inside Width
6'	21"	1,500	40630 MVR	65	30"	28"
8'	30"	1,500	40830 MVR	87	30"	28"
10'	38"	1,500	41030 MVR	109	30"	28"
12'	46"	1,500	41230 MVR	130	30"	28"
14'	54"	1,200	41430 MVR	150	30"	28"
6'	21"	1,500	40636 MVR	85	36"	34"
8'	30"	1,500	40836 MVR	105	36"	34"
10'	38"	1,500	41036 MVR	130	36"	34"
12'	46"	1,500	41236 MVR	150	36"	34"
14'	54"	1,200	41436 MVR	180	36"	34"



EMTEK HEAVY DUTY VAN RAMPS

Emtek ramps are made from 6061 "hard" aluminum for strength and durability. A 20° grade angle gives you a gradual incline for easy cargo control. The anti-slip floor design ensures sure footing. 3 1/8" curb height 4,000 lb. capacity

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Weight lbs.	Overall Width	Inside Width
6'	16"	4,000	40639 HDMVR	94	39"	37"
8'	22"	4,000	40839 HDMVR	125	39"	37"
10'	28"	4,000	41039 HDMVR	157	39"	37"
12'	35"	4,000	41239 HDMVR	188	39"	37"
14'	41"	4,000	41439 HDMVR	220	39"	37"
16'	48"	4,000	41639 HDMVR	251	39"	37"

RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/WALK BOARDS
RETAIL MATERIAL
BOXES
PACKING MATERIAL
LABELS



EMTEK ALUMINUM SPLIT LOCK LOADING RAMP

- Engineered for safety, strength and handling ease
- Manufactured with 6061 "hard" aluminum
- Use two halves for auto loading, or lock together to make 1 ramp for equipment loading
- 3 1/8" curb height
- 6,000 lb. capacity per pair (rated load for 8' wheel base or longer)

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Weight Split	Overall Locked	Inside Locked	Overall Split	Inside Split
10'	20"-28"	6,000	41038 SLR	75 lbs.	38"	36"	19"	18"
12'	25"-34"	6,000	41238 SLR	90 lbs.	38"	36"	19"	18"
14'	29"-40"	6,000	41438 SLR	102 lbs.	38"	36"	19"	18"

MELCHER FIBERGLASS SPLIT RAMPS

Make loading simple and safe with the original Melcher fiberglass ramp. Over 30 models to choose from, single and dual, sizes 6' to 16'. Exclusive computerized fiberglass application process and high quality materials have made Melcher the industry leader. All ramps feature improved super traction non-skid surface and self storing ball locking pin.



MELCHER FIBERGLASS AUTO LOADER RAMPS

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
6'	12"-18"	4,000	636AL	36"	75
8'	16"-24"	4,000	836AL	36"	95
10'	20"-30"	5,000	1036AL	36"	135
12'	26"-35"	5,000	1236AL	36"	155
14'	30"-45"	5,000	1436AL	36"	175
16'	34"-50"	5,000	1636AL	36"	220

MELCHER REPLACEMENT AUTO LOADER HALVES

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
12'	26"-35"	2,500	1218AL	18"	78
14'	30"-45"	2,500	1418AL	18"	88
16'	34"-50"	2,500	1618AL	18"	110

When ordering replacement halves, please specify male or female pin set



MELCHER SINGLE FIBERGLASS RAMPS



HEAVY DUTY SINGLE FIBERGLASS RAMP

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
6'	12"-18"	3,000	636	36"	75
7.5'	13"-22"	3,000	7530	30"	75
8'	16"-24"	3,000	836	36"	95
10'	20"-30"	3,000	1030	30"	103
10'	20"-30"	3,000	1036	36"	130
12'	26"-35"	3,000	1230	30"	134
12'	26"-35"	3,000	1236	36"	150
14'	30"-45"	3,000	1436	36"	170

LIGHTER DUTY SINGLE FIBERGLASS RAMP

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
7'	12"-28"	1,500	726	26"	50
10'	12"-30"	1,500	1026	26"	84
10'	12"-30"	1,500	1029	29"	95
12'	16"-38"	1,500	1226	26"	98
12'	16"-38"	1,500	1229	29"	110
14'	18"-46"	1,500	1426	26"	116

LITE LOADER SINGLE AND DUAL FIBERGLASS RAMPS

Ramps can be used as one ramp, or separate into 2 separate 13" wide ramps.

Perfect for loading riding mowers, golf carts, go-carts or other small vehicles.

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
10'	20"-30"	1,500	1026DR	26"	89
12'	26"-35"	1,500	1226DR	26"	101
14'	30"-45"	1,500	1426DR	26"	121

MELCHER RAMP RESURFACING KIT

Resurface your worn Melcher ramps with a resurfacing kit.

Model # SK

RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | **RAMPS / WALK BOARDS** | RETAIL MATERIAL | BOXES | PACKING MATERIAL | LABELS

MOBILE DOCK

THE ONE-MAN LOADING SYSTEM FOR TRUCKS OR FOR RAIL CARS

- Full length 8" high safety curbs
- All-weather serrated traction grating
- Painted steel construction
- Usable ramp width,
62" on 70" models,
76" on 84" models
- Height range:
37" to 62" with standard suspension
39" to 62" with air springs (optional)




Ramp Length	Level Off	Weight Cap lbs.	Dock Model #	Weight lbs. *	Dock Width
36'	6'	16,000	ME167036	4,020	70"
38'	8'	16,000	ME167038	4,215	70"
36'	6'	16,000	ME168436	4,590	84"
38'	8'	16,000	ME168438	4,820	84"
36'	6'	20,000	ME207036	4,095	70"
38'	8'	20,000	ME207038	4,285	70"
36'	6'	20,000	ME208436	4,680	84"
38'	8'	20,000	ME208438	4,945	84"
36'	6'	25,000	ME257036	4,240	70"
38'	8'	25,000	ME257038	4,645	70"
36'	6'	25,000	ME258436	4,910	84"
38'	8'	25,000	ME258438	5,185	84"

* All weights less tow bar



PORTABLE DOCK BOARDS

- Steel or Aluminum
- Beveled Edges
- Taper-Lock Position Stop
- Custom Crowning
- Tread Plate Deck
- Tire Saver Curbs with Cast Curb Ends



STEEL DOCKBOARDS

10,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
60" W x 48" L	5" - 7"	10SC6048	276
60" W x 54" L	6" - 8"	10SC6054	311
60" W x 60" L	7" - 9"	10SC6060	345
60" W x 66" L	8" - 10"	10SC6066	380
60" W x 72" L	8.5" - 11"	10SC6072	414
72" W x 60" L	7" - 9"	10SC7260	414

15,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
60" W x 48" L	5" - 7"	15TFL6048	430
60" W x 60" L	7" - 9"	15TFL6060	540
60" W x 66" L	8" - 10"	15TFL6066	580
60" W x 72" L	8.5" - 11"	15TFL6072	625
60" W x 78" L	9" - 12"	15TFL6078	710
60" W x 84" L	10" - 13"	15TFL6084	750
72" W x 60" L	7" - 9"	15TFL7260	625
72" W x 66" L	8" - 10"	15TFL7266	670
72" W x 78" L	9" - 12"	15TFL7278	820
72" W x 84" L	10" - 13"	15TFL7284	870

ALUMINUM DOCK BOARDS

10,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
60" W x 36" L	5"	ADS106036	126
60" W x 48" L	7"	ADS106048	169
60" W x 60" L	10"	ADS106060	211
60" W x 72" L	12"	ADS106072	261
72" W x 36" L	5"	ADS107236	174
72" W x 48" L	7"	ADS107248	190
72" W x 60" L	10"	ADS107260	237

15,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
60" W x 36" L	5"	ADS15-6036	153
60" W x 48" L	7"	ADS15-6048	204
60" W x 60" L	10"	ADS15-6060	255
60" W x 72" L	12"	ADS15-6072	314
72" W x 36" L	5"	ADS15-7236	193
72" W x 48" L	7"	ADS15-7248	255
72" W x 60" L	10"	ADS15-7260	322

RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMP/WALK BOARDS | RETAIL MATERIAL | BOXES | PACKING MATERIAL | LABELS

T-L PLATES**3/8" Thick Tread Plate**

Plate Size	Height Range	Weight Cap lbs.	Plate Model #	Weight lbs.
36" W x 24" L	3"	3,500	E3624	51
36" W x 30" L	4"	3,000	E3630	58
36" W x 36" L	5"	2,500	E3636	68
36" W x 48" L	7"	1,900	E3648	87
48" W x 24" L	3"	5,200	E4824	62
48" W x 30" L	4"	4,100	E4830	72
48" W x 36" L	5"	3,500	E4836	83
48" W x 42" L	6"	3,000	E4842	96
48" W x 48" L	7"	2,600	E4848	107
48" W x 60" L	9"	1,800	E4860	132
60" W x 24" L	3"	5,700	E6024	71
60" W x 30" L	4"	4,600	E6030	85
60" W x 36" L	5"	4,100	E6036	98
60" W x 42" L	6"	3,500	E6042	115
60" W x 48" L	7"	2,900	E6048	129
60" W x 60" L	10"	2,000	E6060	160
72" W x 48" L	7"	3,400	E7248	151


1/2" Thick Tread Plate

Plate Size	Height Range	Weight Cap lbs.	Plate Model #	Weight lbs.
48" W x 24" L	3"	8,200	EH4824	75
48" W x 30" L	4"	6,300	EH4830	90
48" W x 36" L	5"	5,300	EH4836	104
48" W x 42" L	6"	4,300	EH4842	122
48" W x 48" L	7"	3,800	EH4848	137
48" W x 60" L	10"	2,900	EH4860	168
60" W x 30" L	4"	7,800	EH6030	108
60" W x 36" L	5"	6,600	EH6036	125
60" W x 42" L	6"	5,500	EH6042	148
60" W x 48" L	7"	4,800	EH6048	164
60" W x 60" L	10"	3,700	EH6060	203



T-L PLATES


- ECONOMICAL
- CONVENIENT
- TIME SAVERS
- Plate comes with two handles standard to provide easy convenient handling (Meets OSHA regulation 1910-30)
- Tread plate surface for good traction, extended service life
- Painted "Safe-T-Lane" edges for high visibility
- 11" apron plus stops for safe in-position anchoring
- Machine beveled entry and exit edges for smooth bump free operation
- All plates provide broad height difference service range (Not recommended for forklift use)



LIFTING CHAINS


Attachable/Detachable chains, used for forklift handling of plates.

Model # LC



SELECTING THE PROPER PLATE

- Determine the minimum width required. Width of the plate should be 12" wider than the loads or the equipment being moved across the T-L plate.
- Determine the height difference service range. Height difference is the greatest difference, in inches, between your dock height and truck levels



RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMPS/WALK BOARDS | RETAIL MATERIAL | BOXES | PACKING MATERIAL | LABELS